

PowerSpin™ PX Centrifuge

Product Images



Short Description

PowerSpin™ PORTA-SPIN™ CENTRIFUGE

FIXED SPEED 3700 RPM

6 PLACE ROTOR FIXED ANGLE

30 MIN. MECHANICAL TIMER

6X10ML CAPACITY WITH 18 PLACE TUBE HOLDSTER™ RACK

POWER INPUT 15VDC

Description

The PortaSpin™ PX allows you to take your practice on the road. Whether you are a mobile vet, visiting nurse or doctor, we have a PortaSpin that will meet your needs. Available with 6 or 8 place rotors and adapters to fit tubes ranging from 2 - 15 ml.

Standard with 12 Volt car lighter adapter, a 110V electrical outlet adapter is optional for use back at the lab. When using this unit you will most likely not be in your lab setting so you will not have your standard bench-top tube rack. We strongly recommend purchasing the optional Tube Holdster, attaches easily to the side of the centrifuge and will hold up to 18 tubes or adapters

Additional Information

Accessories

Header Accessories

C800-00 8 Place Rotor

C800-01 8 Place Rotor

C800-75 Tachometer, Laser Digital with Reflective Tape,
Batteries, In A Storage Case

C800-02 Regular tube shield, pack of 2

C800-03 Adapter for short tubes, pack of 10

C800-04 Pediatric or microtube adapter, pack of 2

C800-05 Tube Lift Adapters, Pk/12

C800-12 Balance Tube Holdster

C826-06 Porta-Spin 12 VDC Adapter, Plugs in to Car Charger,
Replacement

C826-12 Porta-Spin Ac Adapter, 110 Volt, USA Power Cord

Specification

Number of Tubes 6
Tube Capacity 2-15 ml
Blood Yes
Specimens Fecal Not recommended
Urine Not recommended
Microhematocrit Not recommended
Speed Fixed
Rotor Fixed Angle
Maximum RPM 3400
Maximum RCF(g) 1320

Size and Weight

Size 10.2 in x 11.8 in x 7.9 in
Shipping Size 13.4 in x 14.8 in x 10.6 in
Weight 13 lbs
Shipping Weight 15 lbs