




INTRAORAL IMAGING
RIOSensor

Outstanding intraoral sensor

Digitalize your intraoral examination with RIOSensor.
Streamline workflow with high-resolution digital images.

 High-resolution images



Captured by XrayVision 4 - Apteryx Inc

 Ergonomic design

 Plug and Use

 Durability



 Size 1 & 2

Specifications are subject to change without prior notice.

RIS500 Specifications	Size 1	Size 2
Outside dimensions	39x25mm	42x30mm
Imaging area	30x20mm	34x26mm
Pixel size	20x20µm	20x20µm
Sensor Technology	Advanced CMOS with Optical fiber	Advanced CMOS with Optical fiber
Scintillator	Csl.	Csl.
Number of pixels	1.5 Megapixels	2.2 Megapixels
Image resolution	25 lp/mm	25 lp/mm
Connection	USB 2.0 high speed	USB 2.0 high speed
Cable length	2 meters	2 meters



For more information or inquiries,
please visit **www.raymedical.com**
or contact your local representative



Ray Co., Ltd. 🏭

332-7, Samsung1-ro, Hwaseong-si, Gyeonggi-do, 18380, Korea

Phone +82.31.605.1000

Email ray_overseas@raymedical.co.kr

Web www.raymedical.com



RBS-S02 (rev.0)

Design and specifications
are subject to change
without notice